



 **MORSE**
HARDWOODS & MILLWORK CO.



We hope you find this price list of our stair parts helpful and easy to use. While we ensure our milled products are the finest available, our commitment to serving you is our primary goal.

The Morse Hardwoods craftsmen are some of the finest in Vermont, and their work speaks for itself. Their dedication and skills have produced work found all over New England and New York since 1983. To keep pace, we're developing resources to provide our customers outlets they can learn more about the products we mill, and more about Morse Hardwoods and Millwork Company, in general.

That's why you can now find Morse Hardwoods on the internet, at www.morsehardwoods.com. We're excited about this site, and hope you'll discover what an incredible resource it is. Check out our current products and see what's new. Contact us with questions, or submit a request for a quote. We know this site will continue to grow as an asset to all our customers.

From printed catalogs you can throw on the dash, to our moulding profile CD-ROMs you can slip into any computer, we're dedicated to providing a variety of resources, just as we are dedicated to milling a variety of products. Inside the Morse Hardwoods Mill, we keep a fully equipped wood shop-with moulding capabilities and a fully optimized cutting line - running with orders for flooring, mouldings, dimension lumber and more. From astragal to wainscot, our guys are pros, and our process is proven. Whether you need something from our stock, or are interested in custom designs, we're ready to get your order underway.

Sincerely,

Brad Morse

Brad Morse

Scott Morse

Scott Morse

TABLE OF CONTENTS



Signature Series



Classic Series



Designer Series



Hampton Series



Traditional Series



Traditional Series



Contemporary Series




Wrought Iron Series

Signature Series	2-3
Classic Series	4
Designer Series	5
Hampton Series	6
Traditional Series	7-8
Contemporary Series	9
Wrought Iron Series	10
Handrail	11
Fittings	12-13
Treads	14
Accessories	15
Stair Parts Guide	16


SIGNATURE series




A 5301 R-1 1/4"
square bottom





F 5311 R-1 1/4"
square bottom




A 5315 R-1 3/4"
square bottom




F 5315 R-1 3/4"
square bottom



A 4200 - 52
oak, maple, cherry, mahogany



A 4201 - 60
oak, maple, cherry, mahogany



A 4203 - 60
oak, maple, cherry, mahogany

Handrail Profile Choices



6010
oak
maple
cherry




6210
oak
maple




6510
oak
maple
cherry
mahogany




6710
oak
maple
cherry
mahogany




A 4210 - 48"
oak, maple, cherry, mahogany



A 4215 - 60"
oak, maple, cherry, mahogany




All Newels on this page



R 4216 - 44"
oak, maple, cherry, mahogany
round bottom, pin included


SIGNATURE series

A 5325 S - 1 3/4"
square top




oak, primed

R 5315 R - 1 3/4"
round bottom




oak, primed


O 5315 R - 1 3/4"
square bottom octagon




oak, primed




O 4200 - 52
octagon - oak




O 4201 - 60
octagon - oak




O 4203 - 60
octagon - oak



O 4210 - 48"
octagon - oak



O 4215 - 60"
octagon - oak



O 4216 - 44"
*octagon - oak
round bottom, pin included*





Handrail Profile Choices


6010 oak maple cherry	6210 oak maple	6510 oak maple cherry mahogany	6710 oak maple cherry mahogany

IDEAL
stair parts

CLASSIC series




Handrail Profile Choices




A 5515 R, T 5515 R, F 5515 R - 1 3/4"

square bottom
standard, twist or fluted



A 5415 R - 1 3/4"


square bottom



oak, primed, cherry

F 5415 R - 1 3/4"

square bottom




oak, primed, cherry

bottom pin is 7/8" in diameter and 1 1/2" long




All Newels
on this page

pin - 1"



A 4410 - 48
oak, cherry, mahogany

A 4401-52/60
oak, cherry, mahogany




A 4402 - 60
oak, cherry, mahogany



All Newels
on this page

pin - 1"



R 4416 - 44
oak, cherry, mahogany
round bottom, pin included

DESIGNER series



Handrail Profile Choices



6010
oak
maple
cherry

6210
oak
maple

6510
oak
maple
cherry
mahogany

6710
oak
maple
cherry
mahogany

IDEAL stair parts

HAMPTON[®] series




Handrail Profile Choices







IDEAL
stair parts

6





A 5200 R - 1 1/4"
square bottom




A 5611 R - 1 3/4"
square bottom



A 5005 S - 1 3/4"
square bottom
square top



TRADITIONAL series





5015B - 1 1/8" - 5/8" top


5015C - 1 1/4" - 5/8" top

5015S - 1 1/4" - 3/4" top

oak, maple, poplar, primed



A4180-48/52 **A4181-54** **A4182-60,72** **A4183-60** **A4184-60**
oak, poplar, maple square bottom oak, poplar, maple square bottom oak, poplar, maple square bottom oak, poplar, maple square bottom oak, poplar, maple square bottom



A4010-48 **A4015-60/72** **R4012-45** **R4016-44** **S4016-44**
oak/poplar/maple oak/poplar/maple oak round bottom oak/maple round bottom, pin included oak/maple square bottom pin included




Handrail Profile Choices




TRADITIONAL series




A 5070 S - 1 1/4"
square top




 3 5/8" Ball Top available on 4040 series



Handrail Profile Choices




A 5060 - 1 1/4"



oak, poplar, maple, primed

A 5360 - 1 3/4"




oak, poplar, maple, cherry, primed available


Newel Squares also available
oak, maple, poplar, hemlock, cherry, mahogany

A 5040 - 1 1/8" finished

5/8 top standard




oak, poplar primed




A 4005 - 52/60

oak, poplar



A 4075 - 66

*oak, maple, primed, cherry
bottom sleeve removable*



A 4071 - 55

oak, maple, cherry, primed

F 4071 - 55

oak, maple, cherry

A 4271 - 55

oak

F 4271 - 55

oak

Handrail Profile Choices




6010
*oak
maple
cherry*

6210
*oak
maple*

6510
*oak
maple
cherry
mahogany*

6710
*oak
maple
cherry
mahogany*

FORGED IRON series



Finishes Available




powder coat




black

- Black & powder coated finishes available
- All balusters are:
 - 1/2" x 1/2"
 - 44" length with details centered 18" from top
 - rounded to 1/2" diameter on top 3/4" for easy installation
- Butterfly is 6" wide x 4" tall
- Scroll is 7 1/2" wide x 24" tall
- Baskets are 2 1/2" wide x 4" tall



Handrail Profile Choices




6010
oak
maple
cherry

6210
oak
maple

6510
oak
maple
cherry
mahogany

6710
oak
maple
cherry
mahogany

SH01



Shoe for 1/2" x 1/2"
balusters with
set screw

PSH02




Angle/rake
shoe with
set screw

AK01



Adjustable knuckle
with set screw for
1/2" balusters


IDEAL
stair parts



6510 E

- 12'-16' may have one seam joint in top ply

Oak, Maple,
Cherry, Mahogany



6710 E


- 12'-16' may have one seam joint in top ply

Oak, Maple,
Cherry, Mahogany

All Northern Red Oak Excellent Color Match

We will make every attempt to supply your specified hand rail lengths, but you may receive the next available length, and in those cases you will be charged for the length shipped.


All Profiles and Species Available in Bending Rail



6210 E

- 12', 14' & 16' with one seam joint in top cap


Oak, Maple



6010 E

- 12', 14', 16' & 18' with one seam joint in top cap


Oak, Maple, Cherry



6010 AS

- Sold as random lengths
- 11.5 - 16' may have one finger joint in each ply

Oak




6040

- Constructed with all plys containing fingerjoints
- 16' lengths only

Oak, Maple

Shoe Rail



6045

1 1/4 x LF
oak, maple


Fillet



6055

1 1/4 x LF
oak, maple

Shoe Rail



6006


1 3/4 x LF
oak, maple

Fillet




6007

1 3/4 x LF
oak, maple,
cherry, mahogany




6510

pine molding



6710

pine, plastic molding



6010/6210

pine molding

E - Engineered Rail:
Superior Color and Stability

FITTINGS



7008
Oak




Return
End

7009
O-M-C

7709
O-M-C-MG

7209
O-M

7509
O-M-C-MG



Starting
Easing w/ cap

7010
O-M-C

7710
O-M-C-MG

7210
O-M

7510
O-M-C-MG



Level
Quarter Turn

7011
O-M-C

7711
O-M-C-MG

7211
O-M

7511
O-M-C-MG



135°
Level
Quarter Turn

7011-135°
O-M-C

7711-135°
O-M-C-MG

7211-135°
O-M

7511-135°
O-M-C-MG



Up
Easing

7012
O-M-C

7712
O-M-C-MG

7212
O-M

7512
O-M-C-MG



Over
Easing

7013
O-M-C

7713
O-M-C-MG

7213
O-M

7513
O-M-C-MG




90° Up
Easing

7014
O-M-C

7714
O-M-C-MG

7214
O-M

7514
O-M-C-MG



Starting
Easing w/
return end

7015
oak



Over
Easing w/
return end

7016
oak




Opening
Cap

7019
O-M-C

7719
O-M-C-MG

7219
O-M

7519
O-M-C-MG



Tandem
Cap

7020
O-M-C

7720
O-M-C-MG

7220
O-M

7520
O-M-C-MG




Quarter
Turn Cap

7021
O-M-C

7721
O-M-C-MG

7221
O-M

7521
O-M-C-MG



135°
Level Quarter
Turn Cap

7021-135°
O-M-C

7521-135°
O-M-C-MG

7221-135°
O-M

7721-135°
O-M-C-MG




"S"
fitting
left/right
5" C-2-C

7047/48
O-M-C

7247/48
O-M

7547/48
O-M-C-MG


7747/48
O-M-C-MG



Left/Right
Volute

7030/35 **7730/35**
O-M-C O-M-C-MG
7230/35 **7530/35**
O-M O-M-C-MG

4 3/4 center to center



Left/Right
Climbing Volute

7031/36 **7731/36**
O-M-C O-M-C-MG
7231/36 **7531/36**
O-M-C-MG O-M-C-MG

4 3/4 center to center

FITTINGS



Left/Right
Turnout

7041/46
oak

2 7/8 center to center




Left/Right
2 Riser
Goosenecks
with Up Easing

7050/55
oak



Left/Right
2 Riser
Goosenecks
with Cap
& Up Easing

7060/65
oak



Left/Right
1 Riser
Gooseneck

7070/75
oak




Left/Right
Turnout

7040/45 **7740/45**
O-M-C O-M-C-MG

7240/45 **7540/45**
O-M O-M-C-MG

3 1/2 center to center




Left/Right
2 Riser
Goosenecks

7071/76
O-M-C

7271/76
O-M


7771/76
O-M-C-MG

7571/76
O-M-C-MG



Left/Right
1 Riser
Goosenecks
with cap


7080/85
oak



Left/Right
2 Riser
Goosenecks
w/ cap


7081/86 **7781/86**
O-M-C O-M-C-MG

7281/86 **7581/86**
O-M O-M-C-MG



Straight
1 Riser
Gooseneck
w/ tandem
cap

7088
oak




Straight
2 Riser
Gooseneck
w/ tandem
cap

7089
O-M-C

7289
O-M

7789
O-M-C-MG

7589
O-M-C-MG




Straight
2 Riser
Gooseneck

7099
O-M-C

7299
O-M

7799
O-M-C-MG

7599
O-M-C-MG



Straight
1 Riser
Gooseneck

7098
oak


IDEAL
stair parts

STAIR TREADS & STARTING STEPS

E - Engineered Treads:
Superior Color and Stability


E 8070

Tread
1 1/32" x 10 1/2"
x 36, 42, 48, 54, 60, 72
Oak




E 8071

Tread
1 1/32" x 11 1/2"
x 36, 42, 48, 54, 60, 72
Oak, Maple, Cherry




A 8080

False End Caps
Oak




E 8070 MR - 10 1/4"

E 8071 MR - 11 1/4"
Oak Mitered Return Tread
1 1/32" x 10 1/4" or 11 1/4"
x 48, 60, 72
Oak, Maple, Cherry




A 8085

False Riser
Oak



A 8090

Landing tread
3 1/2" wide x LF
Oak, Maple, Cherry




E 8075

Riser
3/4" x 8"
x 42, 48, 60, 72
Oak, Maple, Cherry, Primed




A 8095

Cove Mould
3/4" x 3/4" x LF
Oak, Maple, Cherry




A 8091

Landing tread
5 1/4" wide x LF
Oak, Maple, Cherry




A 8010 R/L

Reversible starting step
Oak, Oak with primed riser 48" only




A 8015

Double starting step
Oak, Oak with primed riser 48" only



A 8040

Oak




A 8060

Oak

ACCESSORIES







3010
Iron Epoxy
Conversion Kit







3009
Iron Epoxy
Nozzle



3011
Iron Epoxy



3000
Tapered
Rail Plug
O M C




3092
Rail Bolt
Wrench




3002
Brass Plated
Wall Bracket




Solid Brass
Heavy Duty
Wall Bracket



3003
Brass Plated
Heavy Duty
Wall Bracket



5/16" x 3 1/2"
Rail Bolt **3001**





3008
1/2" x 11" newel fastener



3005
5/16" x 2 1/2" Dowel Screw


STAIR PARTS GUIDE

Traditional Applications




Recommended Baluster Lengths for Various Rake Handrail Heights


30" Handrail Height



34" Handrail Height



36" Handrail Height



Based on a rise of 7 1/2" and a run of 10"



POLICIES:

Morse Hardwoods and Millwork Company shall not be responsible for improper use or misuse of its products and offers no warranty for safety or performance. Morse Hardwoods and Millwork Company conditionally guarantees its products to be free from defective material and/or workmanship within its control for a period of one year. All stair parts are for interior use only. Rotate inventory to reduce exposure and care should be used in storing these products. Installation of these stair parts should be made from a qualified installer according to local or appropriate building codes. These codes should be strictly observed and use only the best and safest practices when installing these stair parts.

TERMS:

1% 10 Days, Net 15 Days.

A 2% per month finance charge will be applied to all past due balances.

Send payments to: Morse Hardwoods and Millwork Company 20 Morse Drive • Essex Junction, Vermont 05452

PRICES:

All prices are subject to change without notice.

SHIPMENTS:

All orders will be processed for shipment from our warehouse. All claims on apparent or concealed shipping damage should be reported to the freight line for settlement of claim.

RETURNS:

- Standard items may be returned only with prior approval by
- Merchandise must be in original cartons and in good, original condition. Morse Hardwoods and Millwork Company and will be charged
- Original invoice numbers must be indicated on all returns. 25% of the sale price to cover re-stocking and handling.
- Returns should be sent pre-paid freight within 90 days of purchase.

SPECIAL ORDERS:

A 50% deposit is required on all special orders before processing and production of the order. Once production has started the order cannot be cancelled.

INTERIOR USE:

All products are only to be used for interior use.

HALF NEWELS:

Half newels are available at 75% of the price of full newels. Box newels are not available as half newels.

HEARTWOOD/SAPWOOD:

When we establish a Sales Price for stock or custom parts, we anticipate using heart and sapwood.

HANDRAIL LENGTHS:

We will make every effort to supply your specified hand rail lengths, but you may receive the next available length, and in those cases you will be charged for the length shipped.



HARDWOODS & MILLWORK CO.

20 Morse Drive

Essex Junction, Vermont 05452

phone...802-878-2061 • fax...802-878-7215

toll free...1-800-321-4112

www.morsehardwoods.com